Monroe A. Miller, Jr. 2200 Camp Branch Road Waynesville, NC 28786 December 4, 2022

Subject: Status Update of case V2022-060 against Kevin "Adjudication" Ensley, Survey Board.

The following is an email dialog with Clyde Alston, of the North Carolina Board of Examiners for Engineers and Surveyors, for case V2022-060 against **Kevin "Adjudication" Ensley**, filed June 29, 2022.

Subject: Status of Case V2022-060

Date: Wed, 30 Nov 2022 09:43:29 -0500

From: Monroe Miller

To: Clyde Alston < CAlston@ncbels.org>

Mr. Alston,

Can you please let me know the status of my complaint against Kevin Ensley (V2022-060), which I filed on June 29, 2022, five (5) months ago?

Thank you,

Monroe A. Miller, Jr.

Subject: RE: Status of Case V2022-060
Date: Thu, 1 Dec 2022 12:49:21 +0000
From: Clyde Alston < CAlston@ncbels.org>

To: Monroe Miller

Mr. Monroe,

My apologies for the delay in responding. I'm getting closer to working your case and hope to contact you the first of the year.

Clyde

Clyde Alston
Board Investigator
North Carolina Board of Examiners
For Engineers and Surveyors
919/723-8552 – cell
www.ncbels.org

Monroe A. Miller, Jr. 2200 Camp Branch Road Waynesville, NC 28786 June 29, 2022 (828) 456-3718

NORTH CAROLINA BOARD OF EXAMINERS FOR ENGINEERS AND SURVEYORS

Attention: David Evans 4601 Six Forks Road, Suite 310 Raleigh, North Carolina 27609

Subject: Complaint against Kevin Ensley, PLS.

L. Kevin Ensley, PLS P.O. Box 1401 428 Dellwood Road Waynesville, NC 28786 (828) 456-6395 (828) 734-8713 Mobile

This is a complaint against L. Kevin Ensley. The information in this complaint has already been added to your Case Number V2022-022, but is being filed as a separate complaint, to have the matter investigated, if you so desire.

I recall that my Dad, who passed away in January 2017, told me about a surveyor who had missed an iron pipe, and he was quite angry about it. In December 2020, I sorted through past survey records my Dad had accumulated, and discovered that the surveyor was Kevin Ensley.

It was July 31, 2000 when Kevin Ensley prepared a survey for Linda J. Talbot, which is a piece property that boarders what was then, my Dad's property. Kevin Ensley made an error, locating a wrong iron, thus giving Linda J. Talbot an extra 22.07 feet of land, encroaching a boundary. It was not the only error on this plat, as he failed to properly locate a right of way.

The following is first a photo of the entire Ensley plat, the second is an enlargement of the error. The hand writing in pencil is my Dad's.

Since my Dad is no longer here, I am transcribing his hand written notes into this complaint.


"Wrong Iron Pipe This is my pipe to get to Small's boundary across the road".


"This is road easement".

"This is road C/L (Center Line)".

If you attempt to look up Ensley's Book and Page numbers on line, they are not there.

Book 352 Page 669






In a subsequent survey, by none other than Randy Herron, prepared for Mack Sparks, Jr., on April 30, 2001, a year later, Herron shows a different length and angle for the same call.

Ensley: S 50' 59.55W 92.88' Herron: S 52' 48.26"W 70.81'

A difference of 22.07 feet, and 0'11.29" degrees

The following is a photo of Herron's Plat.



I have had both of these plats scanned and copied, and am including them in this complaint.

Please let me know if you have any additional questions.

Thank you, Monroe A. Miller, Jr.

Monroe Ce Mille J. Monroe A. Miller, Jr. 2200 Camp Branch Road Waynesville, NC 28786 (828) 456-3718

[Notary Stamp Here]

Jurat

Signed and sworn before me Ahita F. Gentry, on this day, the 29 day of July, 2022.

Printed: Anita F. Gentry

My commission expires on October 22, 2016

